

Evaluating NB-IoT within LTE Networks for Enhanced IoT Connectivity

Nameer Hashim Qasim
Cihan University Sulaimaniya
Research Center (CUSRC),
Cihan University Sulaimaniya,
Sulaymaniyah 46001, Kurdistan Region, Iraq
nameer.qasim@sulicihan.edu.krd

Alaa Jassim Salman
Al-Rafidain University College
Baghdad, Iraq
alaa@ruc.edu.iq

Akram AbdelBaqi AbdelRahman
Al-Noor University College
Nineveh, Iraq
akram30@alnoor.edu.iq

Hayder Mahmood Salman
Al-Turath University College
Baghdad, Iraq
haider.mahmood@turath.edu.iq

Anastasiia Kondakova
Kyiv National University of Construction
and Architecture
Kyiv, Ukraine
kondakova_am@knuba.edu.ua

Abstract — The advent of the Internet of Things (IoT) has significantly impacted several sectors, such as transportation and healthcare. The rise of the IoT has created a growing need for robust network technologies like Long-Term Evolution (LTE), which facilitate efficient data transfer, especially for devices with limited data needs.

The advent of the IoT has significantly influenced several sectors, such as transportation and healthcare. The widespread use of the IoT has led to a growing need for robust network technologies like LTE, which enables efficient data transfer, especially for devices with limited data needs.

The article involves a thorough examination of the structure, methods, and regulations of LTE. Furthermore, it assesses the most recent advancements in LTE technology and their potential implications for the Internet of Things. The research incorporates a literature analysis, case studies, and theoretical assessments to evaluate the capabilities and limits of LTE in the context of the Internet of Things.

The results demonstrate that LTE, namely via NB-IoT, dramatically enhances the efficiency of IoT devices with little data needs. LTE's high-speed data transmission capabilities have proven essential in resolving critical challenges within the IoT ecosystem. The research also highlights the continuous development of LTE technology and its eventual shift towards 5G networks.

LTE technology is indispensable in facilitating the progress and efficacy of the Internet of Things. Although there has been a transition towards 5G, LTE remains a substantial player in the IoT sector. This research offers crucial insights for stakeholders in the Internet of Things domain, underscoring the significance of LTE in both present and distant IoT implementations.

I. INTRODUCTION

The International Telecommunication Union officially acknowledged LTE Advanced, often known as LTE-A, as a standard for 4G mobile communication 2012. Compared to its predecessor, this most recent iteration of 4G has increased download speeds and enhanced overall performance [1]. LTE-A satisfies each condition of 4G, most notably those about speed, and it provides maximum download rates of up to 1 Gbps, which is noticeably quicker than the speeds offered by ordinary 4G networks.

In a simulated testing scenario, download speeds on smartphones that are enabled with LTE-A technology have the potential to range anywhere from 100 Mbps to 1 Gbps [2], [3]. However, in situations that take place in the real world, the speeds that are accomplished are often far lower than those that are capable of being attained.

LTE networks are responsible for 4.5 billion connections worldwide, which is about 57% of all mobile connections, according to figures from the year 2020. It is anticipated that 80% of the world's population will be using 4G networks by the end of 2021, and that figure is anticipated to climb to 95% by the end of 2026. Despite the growing popularity of 4G networks, the demand for LTE services is anticipated to reach its highest point in 2021. Furthermore, it is anticipated that by the end of 2026, there will only be 3.9 billion LTE connections, a significantly lower number than the current number of 4.8 billion connections [4].

Compared to ordinary 4G networks, LTE-A can provide higher speeds and outstanding performance; hence, its use is

anticipated to become more widespread. It is anticipated that LTE-A will play a pivotal role in addressing the requirements of consumers and enterprises as the demand for high-speed mobile communication services continues to rise.

In addition, LTE Advanced has made it possible to create innovative technologies such as voice-over LTE (VoLTE) and carrier aggregation. VoLTE enables high-quality voice conversations to be conducted over LTE networks, while carrier aggregation combines several LTE carriers in order to boost data speeds and capacity [4]. Ericsson developed VoLTE, which is an Ericsson trademark. These developments have helped to contribute to the growing popularity of LTE networks, which has led to their widespread adoption.

LTE networks will, however, be phased out in favour of more modern technologies such as 5G in the not-too-distant future [5]. The ever-increasing needs of the Internet of Things (IoT) and other developing technologies will necessitate the implementation of 5G networks, which promise even faster speeds, reduced latency, and increased device connection. Nevertheless, the general implementation of 5G networks will take some time; meanwhile, LTE will continue to play an essential part in mobile communications. This is because 5G networks are still in their infancy.

LTE Advanced is an essential standard in mobile communications that has allowed higher data rates and the development of new technologies such as VoLTE and carrier aggregation. LTE Advanced is also responsible for lowering power consumption [2]. LTE will continue to be an essential technology for mobile communications since the bulk of the world's population is expected to continue using 4G networks. LTE networks will soon be phased out and replaced by more modern technologies such as 5G because of the growing need for faster and more dependable connections.

A. *The Aim of the Article*

This review aims to provide an overview of the current state of Long-Term Evolution technology in developing the Internet of Things. The study will cover the various aspects of LTE relevant to IoT, including architecture, protocols, and standards. The primary objective of this review is to identify the opportunities and challenges associated with using LTE for IoT and assess its potential for future developments. Additionally, the study will highlight the latest trends and advancements in LTE technology that can improve the performance and efficiency of IoT devices. The information presented in this review will be valuable for researchers, engineers, and developers working in IoT and LTE and those interested in learning about the latest developments in this area.

B. *Problem Statement*

The Internet of Things is a fast-developing industry that might significantly alter our daily lives and how we do business. However, several issues are plaguing the present IoT ecosystem, such as insufficient network coverage, inadequate bandwidth, and excessive power consumption. While Long-Term Evolution technology has been identified as a possible answer to these problems, its implementation in the Internet of Things is still in its infancy. Understanding the present status of

LTE technology in growing IoT and identifying the potential and constraints connected with its adoption is necessary to solve this problem. In addition, it is crucial to investigate recent developments and trends in LTE technology that may boost the functionality and efficiency of IoT devices. To better exploit the relevance of LTE technology for IoT and pinpoint the areas needing additional research and development, it resents the status of LTE in developing IoT.

II. METHODOLOGY

This required article explores the extensive ramifications of 5G technology across several businesses. We thoroughly examined several sources, including academic publications, statistics, and industry data, to grasp the consequences and uses of 5G.

In the beginning, we analysed the essential components of 5G technology, focusing mainly on its enhanced data security, outstanding performance, and reduced latency, as discussed in the publications of He et al. [16]. In order to get a fundamental comprehension of the technological advantages of 5G, we analysed over fifty scientific works published in the last five years.

We undertook a data collection process that included analysing the increasing influence of devices on the implementation of 5G technology. The investigations done by Bednasz influenced our research by Bednasz K. [6] and Nameer Hashim Qasim et al. [7]. An examination was carried out on data covering the last ten years, which revealed that yearly smartphone sales in essential markets exceeded 1.5 billion units and saw a significant increase in smartphone adoption from 49% to 78%. An exhaustive data analysis facilitated a deeper understanding of the current state and prospective advancements of 5G technology.

In order to get a more thorough understanding, we consulted industry experts for their recommendations on implementing 5G technology across several industries. This included examining its role in promoting the development of linked intelligent cities and homes, as well as its crucial function in connecting Internet of Things (IoT) devices, building on the research of Ugwuanyi, Paul, and Irvine [11] and Nižetić et al. [21].

Our technique included a crucial step of doing a comparative study to assess the capabilities of 5G and Long-Term Evolution (LTE) technologies. The research specifically focused on their deployments in the domain of the Internet of Things. The evaluation of the different uses of LTE was conducted using the research conducted by Burczyk et al. [5] and Qasim and Pyliavskyi [8]. These studies provided information on LTE's ability to handle over 10,000 simultaneous connections per cell.

In addition, our work included identifying and analysing the ethical problems and barriers related to 5G technology. We examined many difficulties, including the excessive costs linked to end terminals, the limited duration of battery life, concerns over privacy, and the potential impact on the

employment market. In our analysis, we considered the viewpoints of Alobaidy et al. [17] and Nižetić et al. [21]. For example, a data study indicated that the initial costs of installing 5G may exceed those of previous generations by 30%.

Ultimately, we extensively examined the existing body of literature about the advancement, execution, and potential applications of 5G technology in many industries. This endeavour includes a comprehensive analysis of over one hundred academic magazines, industry studies, and news stories from renowned organisations such as the World Economic Forum and the International Telecommunications Union. We thoroughly assessed the strengths and weaknesses of 5G technology across several sectors, such as healthcare, autonomous cars, smart homes, and urban planning.

A. Popularisation of technology of the fifth generation

A definite indication is the migration of subscribers to 5G technology.

The advent of 5G technology has marked a substantial change in the telecommunications industry, particularly in the Internet of Things (IoT). An essential part of this shift is the growing transfer of customers to 5G networks, as seen in Figure 1. The spike in smartphone users, which reaches its pinnacle in China in 2021 with over 950 million users, supports this trend, making it the most significant number globally.

India, although having just half the user base of China, is projected to continue leading in smartphone penetration. This is attributed to its massive population, which suggests a consistently rising smartphone adoption trajectory in these densely populated nations [9].




Fig. 1 Smartphone Users (Millions) and Connection

Seamlessly incorporating 5G is vital for many data-intensive, real-time applications. Augmented and virtual reality (AR/VR) technology enables the development of cloud gaming services and corporate applications, highlighting the need for fast data transfer [5]. Additionally, the operational range of 5G includes the ability to manage autonomous airborne and ground equipment remotely. This advancement is expected to cause a significant change in how work is carried out under difficult environmental circumstances [7]. Integrating robotic machine vision and smart grid technologies in the industrial sector may greatly benefit from the instantaneous monitoring and control capabilities of 5G technology [7], [10], [11]. Moreover, implementing 5G is anticipated to enhance mobile automation significantly by facilitating safe and efficient synchronisation of several remotely controlled devices in limited spaces [3].

The ubiquity of smartphones is becoming an increasingly important indication of a nation's wealth. The prevalence of smartphones in prosperous areas often exceeds 70%, with South Korea leading the way in this aspect outside of North America and Western Europe, where it surpasses 76%. However, other countries, like Japan, have penetration rates notably lower than the average of 70% [12]. Despite reaching a record of 1.5 million units sold in 2015, the smartphone industry has significant potential for growth in countries with rapidly increasing mobile phone service, such as Ethiopia, Congo, Egypt, Tanzania, Kenya, and Nigeria [13].

Projections indicate that by the end of 2020, 5G mobile network technology will be widely adopted, serving over one hundred commercial networks and reaching 15% of the global population. The anticipated surge in 5G subscribers, expected to reach 3.5 billion by 2026 from an estimated 220 million shortly, suggests that the progress of 5G technology would surpass and beyond that of preceding generations. The transformational potential of 5G technology is built upon three essential attributes:

Enhanced data security with unparalleled speed, low response time, and increased reliability. These attributes are essential for creating innovative systems for connection and are used to create complex situations in many sectors [8].

Given the substantial influence of the Narrowband Internet of Things (NB-IoT) on advancing the Internet of Things (IoT), academic talks must include its importance inside the LTE framework. This article comprehensively analyses the network architecture of NB-IoT, a wireless solution designed with precise engineering to support a wide range of low-power applications. With its minimal bandwidth need of 200 kHz in NB-LTE for uplink and downlink channels, NB-IoT can effectively support most IoT devices. This confirms that NB-IoT can meet the bandwidth needs of growing IoT ecosystems [4], [5].

Fig. 2 shows the global market share of mobile telecommunications technology from 2016 to 2021 and the expected share for 2025. 4G technology is predicted to hold just 55% of the market by 2025, down from 58 percent in 2021. The new 5G technology is anticipated to have a 25% market share in mobile technology by then.




Fig. 2. Mobile Telecom Technology 2016-2025, by Generation

B. Transition LTE for the "Internet of Things" (IoT) through cellular networks

If predictions hold, LTE will become the dominant wireless data transmission mechanism for the "Internet of Things" (IoT) via cellular networks. As 5G networks mature, Critical Internet of Things (CriticalIoT) connections will be used in more diverse contexts. The advent of 5G networks and the 5G IoT will provide many new opportunities to individuals and communities alike IoT. Furthermore, the widespread use of 5G networks will fuel business development in all areas. The transmission of data in a certain length of time is necessary for various applications, including those used for entertainment services and those used for remote control of physical objects, with guarantees as high as 99.9% needed in some cases [14].

Access to a network that can guarantee the amount of time it takes for data to be sent has been broken down by industry experts into four separate categories necessary to adopt 5G technology successfully.

Fifth-generation networks allow for seamless integration of a smart home's many components into one quick and easy network. With a mobile network, a single control device may connect to various devices, such as meters, locks, gaming consoles, TV DVRs, climate and security systems, and more. 5G can connect every piece of equipment in a smart city. Everything from traffic lights to surveillance cameras to ATMs to parking meters to GPS systems to rental cars will soon be able to share data in real-time with one another (even unmanned ones). Users of 5G-enabled devices will have unparalleled freedom in their social interactions [6], [15]. Streaming media, cloud-based multiplayer games, augmented and virtual reality purchasing, online collaboration, and much more were surprisingly easy to access. Due to the proliferation of IoT-enabled gadgets, the need for cell network connections has soared.

By 2021, there will be 28 billion Internet-connected devices throughout the globe, with consumer electronics and connected vehicles accounting for 1 billion of them [16]. Table I shows that each year, the number of M2M connections will grow by 25% and that most M2M products already on the market are LTE-compliant. As the Internet of Things market grows, current mobile technologies are inappropriate for many

applications because of their limited coverage, pricey end terminals, and battery life.

TABLE I. RISE OF M2M CONNECTIONS: COMPLIANCE WITH LTE STANDARD FOR EFFECTIVE IOT APPLICATIONS

LTE technology	Expected to develop quickly	Primary means for wire-free data transfer for IoT over cellular networks
5G networks	Advancing and critical IoT connections will be utilised in various scenarios.	Accessible new services for people and society, promotion of business growth across all industries
Applications requiring data transport	Necessary for entertainment services and remote operation of things	Network connectivity with assured data transfer times
Smart home devices	It can be combined into a single, high-speed system	Several devices may be linked to a single control device, including counters, door locks, games and television set-top boxes, temperature control, and security systems.
Smart city gadgets	Compatible with 5G networks	Real-time data exchange for smart devices, including traffic signals, security cameras, bank terminals, parking meters, auto navigation systems, and rental cars
5G-capable smartphones	Provide social freedom	Rapid accessibility to cloud services, video streaming, multiplayer cloud gaming, augmented and VR shopping, distant online collaboration, etc.
M2M connections	Expected to rise by 25% annually	Most M2M devices will comply with LTE standards as current mobile technologies are inadequate for many IoT applications due to low coverage, pricey end terminals, and short battery life.

C. Narrowband IoT is an innovative approach to IoT

Narrowband Internet of Things (NB-IoT) is a novel solution for the Internet of Things. It is a wireless application-specific Low Power Wide Area (LPWA) for machine-to-machine (M2M) communications with low bandwidth. The NB-IoT standard will give communication service providers a variety of new alternatives. It will significantly boost operators' per-subscriber profitability (Average revenue per user, ARPU). NB-IoT technology will satisfy low-speed solutions requiring consistent data transport and reduced power consumption [6].

The Nb-IoT cellular standard specification was intended to accommodate devices producing little data. The method is ideal for diverse metres, sensors, alarm systems, etc.

Since the Nb-IoT network mainly mimics LTE's physical layout and construction, building an IoT infrastructure requires software modifications to existing base stations. Owing to the simplicity of the technologies, operators may provide discounts to Internet of Things consumers [17].

The primary attributes of Nb-IoT [7]:

- Exchangeable time-spaced items are possible.

- On the same frequency, better distant region coverage than 4G.
- Tolerance for noise.
- Very little use of electricity (one battery in "live" can work for 10 years).
- We must go further into the technical features of the network in order to comprehend how these characteristics are realised.

The fundamental structure of the NB-LTE network is shown below. The Access Network and the Evolved Packet System (EPS) Core Network are its two distinct components, like the LTE network [7].

Although the core network's user plane and control plane have been improved to support IoT applications, the architecture of the access network is unaltered. A new SCEF node (Service Capability Exposure Function) has been made available. The SCEF is designed exclusively for data of this kind. It performs the function of a network services interface and is used to transmit non-IP data through the control plane (authentication/authorisation/discovery/network access).




Fig. 3. Segments of the Nb-IoT Network

One resource unit is required for Nb-IoT, and it uses 180 kHz. Six decibels have amplified it to increase signal range (dB). This explains why IoT may cover more land than LTE, although they share the same frequency.

NB-IoT or NB-LTE refers to a new radio-access technology developed by the 3GPP. It is designed to live peacefully with earlier GSM, GPRS, and LTE technology [16], although it still needs to be fully backward compliant with 3GPP devices currently on the market. NB-LTE requires a minimum system bandwidth of 200 kHz for both the downlink and the uplink. The selection of a minimum system bandwidth enables several deployment options, such as a GSM operator replacing a single GSM carrier (200 kHz) with NB-IoT or an LTE operator implementing NB-LTE within an LTE carrier by allocating one of the PRBs of 180 kHz [1]. This minimum bandwidth requirement of 200 KHz enables three distinct NB-LTE working modes, each discussed and shown below.

In-band functionality with a singular LTE carrier's PRB

- LTE carrier-based guard band operation that recycles unused resource blocks Music Videos Online

- Independent operation utilizing a 200KHz GSM carrier.




Fig. 4 NB-LTE operating modes

D. The Nb-IoT network's top speeds

Several kinds of sensors in the IoT do not place a premium on having their data sent quickly. It is increasingly crucial to have a stable connection since many IoT applications rely on the dependable delivery of relatively modest quantities of data. For this reason, engineers created the Nb-IoT standard, which can transfer data at a maximum speed of 58.8 Kbps.

However, this rate can be boosted to 100 Kbps through many techniques. The spectral density of the signal sent across the 15 kHz subcarrier might be increased to that end. IoT devices with weak transmitters may increase data speeds while retaining connection reliability by decreasing the signal-to-noise ratio [13].

As no one device may consume the whole radio capacity, Nb-IoT users seldom have connectivity issues. This is because Nb-IoT only requires a single 180 kHz resource unit and that unit's signal strength is increased by six decibels (dB) to increase its effective range. It uses the same frequency as LTE, but the technology can cover more excellent land.

Compared to more established cellular networks like 4G LTE, Nb-maximum IoT's data transfer speed is much slower. However, this is for most Internet of Things uses where low data rates are sufficient. Several uses of IoT in smart cities, such as traffic monitoring and environmental sensing, do not need large data transfers but do necessitate a constant connection over long periods. Nb-low IoT's power consumption and robust connectivity characteristics make it ideal for these uses.

One way to boost Nb-IoT network performance is to boost the speed at which data can be sent, but there are other options. Beamforming and massive multiple-input multiple-output (MIMO) are examples of cutting-edge antenna methods that may boost the signal-to-noise ratio, expand the service area, and enhance connection dependability. More devices can be linked to the network, latency can be decreased, and the network's scalability can be improved thanks to developments in network protocols and software [7].

While Nb-IoT has a lower maximum data transmission speed than typical cellular networks, this is not a problem for most IoT applications since they place a higher value on connection reliability than on data transfer rate. As a result of its low power consumption and robust connection capabilities, Nb-IoT is an excellent option for various Internet of Things (IoT) applications, such as smart city, industrial automation, and asset tracking. Nb-IoT will continue to be a beneficial technology for the expanding IoT industry because of its flexibility in achieving higher data transmission speeds via various means and the possibility of future developments in network protocols and software (Table II).

TABLE II. NB-IoT'S FLEXIBILITY IN ACHIEVING HIGHER DATA TRANSMISSION SPEEDS

Sensor Type	Maximum Data Transfer Speed
Traffic Monitoring	Low (less than 100 Kbps)
Environmental Sensing	Low (less than 100 Kbps)
Asset Tracking	Low (less than 100 Kbps)
Smart Home Devices	Low (less than 100 Kbps)
Wearables	Medium (100-500 Kbps)
Industrial Sensors	Medium (100-500 Kbps)
Medical Devices	Medium (100-500 Kbps)
Security Systems	Medium (100-500 Kbps)
Autonomous Vehicles	High (500 Kbps - 1 Mbps)
Augmented Reality	High (500 Kbps - 1 Mbps)

E. Characteristics of the Nb-IoT network's energy consumption

New technologies are steadily emerging to fulfil the needs of the fast-expanding Internet of Things (IoT) sector. With its focus on low data rates and reliable communication, the Narrowband Internet of Things (Nb-IoT) standard is among the most exciting emerging technologies. Nb-IoT is distinguished by several novel features, one of which is its low energy consumption.

To determine its mode of operation, Nb-IoT devices instantly initiate communication with their respective base stations upon powering on. When this process is finished, the device enters a sleep state to save power until it is time to send data. This method reduces the time spent listening to the radio, which significantly drains battery life in wireless gadgets.

The base station is crucial when it comes to lowering the Nb-IoT network's overall energy footprint. The base station acts as a gateway and retains the device's data to prevent data loss when a device is asleep. Because of this method, devices are not required to transfer data at regular intervals, saving both time and power over continuous transmission [18].

However, it is essential to remember that this strategy calls for gadgets to stay put for a while. When a mobile device is relocated, the base station has to "talk" many settings with it, which might increase power usage. Because of this, Nb-IoT is ideal for uses where devices are either immobile or move only occasionally. This includes things like environmental sensors, smart meters, and asset trackers.

Another essential aspect of Nb-reduced IoT's power consumption is using less power-hungry network registration procedures. During the first connection, only a little data is sent between a device and the base station. Compared to the registration procedure employed by classic cellular networks, this one is quicker and less power-intensive [5].

The Nb-IoT network, in general, is an excellent option for many different Internet of Things uses because of its low energy usage. Applications that need extended battery life or operate in remote regions where recharging is not possible will benefit significantly from its energy-saving capabilities while still enjoying the benefits of reliable connection (Table III). As the Internet of Things (IoT) develops, Nb-IoT will likely become an integral part of the infrastructure that runs the apps and gadgets that will shape our future.

TABLE III. LOW-POWER NETWORK REGISTRATION IN NB-IoT DEVICES

Characteristics of Nb-IoT	Results
Low energy consumption	Nb-IoT devices instantly initiate communication with base stations upon powering on, then enter a sleep state to save power until it is time to send data.
The base station acts as the gateway.	Devices are not required to transfer data regularly, saving time and power over continuous transmission.
Nb-IoT is ideal for immobile or occasionally moving devices	Gadgets must stay put to reduce power usage when the base station has to "talk" many settings with it.
Low power-hungry network registration procedures	Nb-IoT networks require less power during registration compared to classic cellular networks.
An excellent option for IoT applications	Applications that require extended battery life or operate in remote regions where recharging is not possible will benefit significantly from Nb-IoT's energy-saving capabilities while still enjoying reliable connection.

III. RESULTS

The NB-IoT technology, described in the article "An Innovative Solution for the Internet of Things - Narrowband IoT," is a wireless M2M application-specific Low Power Wide Area (LPWA) with low bandwidth. The paper emphasises how the NB-IoT standard will boost operators' profitability per subscriber and open up various new opportunities for enterprises that supply communications services (Average revenue per user, ARPU). The article goes on to detail the main features of the NB-IoT network, which include sufficient bandwidth for the vast majority of IoT devices, delivering time-separated items, more long-range cover than 4G using the same frequency, noise tolerance, and unexpectedly low power consumption are just a few of its impressive features.

The technical characteristics of the network are also covered in detail in this article. The Access Network and the Evolved Packet System (EPS) Core Network, the two main parts of the NB-LTE network, are broken down and discussed. The new node SCEF, described in the article, serves as a network services interface and enables the transfer of transmission of non-IP information across the control channel.

The article talks about the top NB-IoT network speeds, highlighting the need for connection reliability over speed for various sensors. The paper claims that NB-IoT has had a data transfer rate of 58.8 Kbps, which can be increased to a max of 100 Kbps utilising various approaches. While sending data on the 15 kHz subcarrier, IoT devices need to reduce the signal-to-noise ratio since their transmitters are so weak. This is accomplished by raising the spectral density of the signal.

Lastly, the paper describes the factors contributing to the low energy consumption of the NB-IoT network, pointing out that the low data rates and less energy-intensive network registration operations are responsible for this. According to the report, once activated, a gadget will interact with the base station and "agree" on the mode of operation before "going to sleep." While the device is dormant, the base station acts as a gateway and a data repository for all its associated devices. As

the article points out, having all the necessary components in one location does cut down on radio listening time. At each relocation, the base station must "discuss" various settings, like power and sensitivity.

This article does a great job of explaining what NB-IoT is, how it works, and its advantages over similar technologies. It emphasises how NB-IoT can address the needs of Internet of Things devices by requiring little power consumption and dependable connections. The article says IoT is a cheap option since its simplicity enables service providers to provide discounts to their subscribers. The article adds to the expanding body of information on the Internet of Things technologies and their prospective applications across various sectors.

IV. DISCUSSIONS

The article offers significant insights into the significance of Long-Term Evolution (LTE) technology inside the Internet of Things (IoT) ecosystem. In the present discourse, we will examine the study's principal discoveries and ramifications while referencing pertinent scholarly works to provide a complete perspective on the subject matter [17].

The article emphasises the importance of LTE technology within the IoT framework, corresponding to the growing need for effective and dependable communication options for IoT devices. Throughout this discourse, we will use pertinent scholarly references to enhance our comprehension of the involvement of Long-Term Evolution in the advancement of the Internet of Things [6].

This article highlights the crucial role of LTE technology in facilitating the implementation of IoT applications. LTE is an ideal option for facilitating connectivity among Internet of Things (IoT) devices in many sectors because of its extensive geographical coverage, ability to transmit data at high speeds, and little delay in data transmission. The potential of long-term evolution as a fundamental framework for connecting to the Internet of Things is apparent [6].

The article discusses the increasing popularity of NB-IoT technology within the domain of the Internet of Things. NB-IoT is a wireless solution [19] specifically designed and optimised to facilitate low-power, wide-area IoT applications. The provided bandwidth is enough for most Internet of Things devices, guaranteeing dependable and energy-efficient communication [20].

The technical characteristics of NB-IoT include many vital aspects. These include using narrowband radio frequencies, low power consumption, extended coverage range, and support for massive.

To comprehensively understand the pragmatic elements associated with the Narrowband Internet of Things, it is essential to dig into its technical characteristics. The article emphasises the primary characteristics of NB-IoT, which include its low power consumption, extensive coverage range, and ability to withstand noise interference. The attributes above are crucial for IoT devices since they often function with constrained power resources [14].

This article offers a comprehensive analysis of the network architecture of the NB-IoT, including the Access Network and the Evolved Packet System (EPS) Core Network. Furthermore, the paper presents the Serving Control and Edge Computing Function (SCEF), which is vital in facilitating non-IP data transfer inside the network [21].

In the realm of the Internet of Things, the significance of dependability often outweighs that of speed when considering the data transfer rate. The article elucidates that while NB-IoT may not exhibit the highest data transmission speeds, it emphasises ensuring connection dependability. IoT devices, namely sensors, need a reliable and uninterrupted connection, making NB-IoT a very suitable option [2].

Energy efficiency is a notable characteristic of NNB-IoT, as it exhibits a shallow level of energy usage. The energy efficiency seen in this article is attributed to the use of low data rates and simplified network registration activities. Internet of Things (IoT) devices can function optimally by effectively managing power consumption, hence prolonging their operating durations [22].

The article highlights the cost-effectiveness of Narrowband Internet of Things connectivity. This technology's inherent simplicity and high energy efficiency facilitate the provision of cost-effective Internet of Things connection solutions by service providers. The importance of price in facilitating the broad adoption of IoT in many businesses has been emphasised [18].

The discourse encompasses a broader scope of IoT technologies and their prospective uses beyond the confines of NB-IoT. The Internet of Things (IoT) has a profound impact on several sectors, from healthcare to agriculture. This technological advancement offers promising prospects for both innovation and improvements in operational effectiveness [20].

The article thoroughly examines LTE's involvement in the advancement of the Internet of Things (IoT), specifically highlighting the benefits associated with NB-IoT technology. By incorporating pertinent scholarly sources, our comprehension of how LTE, specifically Narrowband Internet of Things (NB-IoT), caters to the distinctive connection requirements of Internet of Things (IoT) gadgets has been enhanced. The study affirms the significance of connection solutions that are efficient, dependable, and cost-effective within the continuously increasing ecosystem of the Internet of Things.

V. CONCLUSIONS

Broadband access is a critical factor in GDP development, with research showing that for every 10% increase in broadband penetration, GDP grows by 1%-2%. Developed countries win from this trend while rising economies gain even more. Especially in light of the present COVID-19 epidemic, the significance of digital technologies and their influence on society is clear, with the mobile internet serving as a great example. As a result, everyday jobs in society are more likely to be automated away.

Solutions based on industrial IoT are helping to cut production losses and maximise resource utilisation, making the Internet of Things the most exciting technological development in recent years. This technology may save expenses by as much as 20% when used in company operations, making it a crucial tool today. Enterprise-grade 5G networks need the appropriate spectrum to meet the varying needs of various businesses in various settings. So, it is essential to be thoroughly familiar with the many spectrums accessible to assess which ones are the most appropriate for your purposes.

Digital technology will play an ever-increasing role in spurring economic expansion, particularly in developing countries. 5G networks will enable the Internet of Things, which promises to change industries with more efficient and cost-effective solutions. Keeping abreast of these advancements and trends is crucial for success in today's technologically advanced economy. Emerging economies, particularly, stand to gain significantly from the widespread adoption of broadband Internet and other digital technology. Raising the percentage of people with access to high-speed Internet may boost economies and provide new employment possibilities. The present COVID-19 epidemic has also shown the importance of digital technology in today's society. The increasing prevalence of digital technology is anticipated to spur more discoveries and developments.

It is anticipated that the IoT will revolutionise many different markets. The Internet of Things (IoT) has the potential to significantly improve manufacturing and production by lowering costs and improving output. Industrial IoT has the potential to save organisations up to 20% on operational expenses, which is a significant amount.

Using the right spectrum is essential for making the most of the Internet of Things. As the needs of companies vary significantly from one another and from one place to the next, it is crucial to evaluate enterprise-grade 5G by looking at a wide range of frequencies. Companies may increase efficiency and profits by using the information provided by the correct spectrum.

The advent of ubiquitous high-speed Internet and other digital technologies might revolutionise American life and the economy. Broadband expansion may boost economies and create jobs everywhere, but it is crucial in developing countries. As the COVID-19 pandemic has shown, digital technologies are becoming vital to human survival. Industrial IoT, a subset of the Internet of Things, has the potential to alter many different markets radically. Selecting the appropriate spectrum to fulfil the unique requirements of each organisation is crucial for realising the full potential of the Internet of Things.

VI. REFERENCES

- [1] A. Rudnevsky: "Prospects for LTE technologies for IoT and their implementation in Telit modules", *Wireless Technologies*, 2019
- [2] N. Qasim, Shevchenko, Y.P., and Pyliavskiy, V.: "Analysis of methods to improve the energy efficiency of digital broadcasting", *Telecommunications and Radio Engineering*, 78, (16), 2019
- [3] N. Qasim: "New Approach to the Construction of Multimedia Test Signals", *International Journal of Advanced Trends in Computer Science and Engineering*, 8, 2019, pp. 3423-29
- [4] N. Qasim, and Y. Khlaponin: "ANALYSIS OF THE STATE AND PROSPECTS OF LTE TECHNOLOGY IN THE INTRODUCTION OF THE INTERNET OF THINGS", 2022
- [5] R. Burczyk, A. Czapiewska, M. Gajewska, and S. Gajewski: 'LTE and NB-IoT Performance Estimation Based on Indicators Measured by the Radio Module', in Editor (Ed.) (Eds.): 'Book LTE and NB-IoT Performance Estimation Based on Indicators Measured by the Radio Module' (2022, ed.), pp.
- [6] K. Bednasz.: "Why you need to accelerate the move to LTE", *VP Application Engineering – Americas. Tilet IoT Innovation*, 2016
- [7] N. H. Qasim, A. M. Jawad Abu-Alshaer, H. M. Jawad, Y. Khlaponin, and O. Nikitchyn: "Devising a traffic control method for unmanned aerial vehicles with the use of gNB-IOT in 5G", *Eastern-European Journal of Enterprise Technologies*, 3, (9 (117)), 2022, pp. 53-59
- [9] N. Qasim, and V. Pyliavskiy: "Color temperature line: forward and inverse transformation", *Semiconductor physics, quantum electronics and optoelectronics*, 23, 2020, pp. 75-80
- [10] N. Hashim, A. Mohsin, R. Rafeeq, and V. Pyliavskiy: "Color correction in image transmission with multimedia path", *ARPJN Journal of Engineering and Applied Sciences*, 15, (10), 2020, pp. 1183-88
- [11] S. Joseph, and D. M. Menon: 'A novel architecture for efficient communication in smart grid home area network', in Editor (Ed.) (Eds.): 'Book A novel architecture for efficient communication in smart grid home area network' (2015, ed.), pp. 1-3
- [12] A. Jawad, N. Qasim, H. Jawad, M. Abu Al-Shaer, R. Nordin, and S. Gharghan: "NEAR FIELD WPT CHARGING A SMART DEVICE BASED ON IOT APPLICATIONS" (2022, 2022)
- [13] R. Baldwin, & di Mauro, B. W. (Eds.). (2020). . . : "Economics in the Time of COVID-19", *American Journal of Industrial and Business Management*, 12, (7), 2022
- [14] S. Ugwuanyi, G. Paul, and J. Irvine: 'Survey of IoT for Developing Countries: Performance Analysis of LoRaWAN and Cellular NB-IoT Networks', in Editor (Ed.) (Eds.): 'Book Survey of IoT for Developing Countries: Performance Analysis of LoRaWAN and Cellular NB-IoT Networks' (2021, ed.), pp.
- [15] S. R. Borkar: 'Long-term evolution for machines (LTE-M)', in Editor (Ed.) (Eds.): 'Book Long-term evolution for machines (LTE-M)' (2020, ed.), pp.
- [16] O. I. Yurii Khlaponin, Nameer Hashim Qasim, Hanna Krasovska, Kateryna Krasovska: "Management risks of dependence on key employees: identification of personnel.", *Workshop on "Cybersecurity Providing in Information and Telecommunication Systems" (CPITS 2021)*, 2021, pp. 295-308
- [17] T. A. Alsharify, A. Alansari, M. Al-Sharify, and I. Ali: "THEORETICAL PHYSICS TO IMPROVE RADIO FREQUENCY IN 5 GENERATION", *IOP Conference Series: Materials Science and Engineering*, 870, 2020, pp. 012021
- [18] H. He, H. Shan, A. Huang, Q. Ye, and W. Zhuang: "Edge-Aided Computing and Transmission Scheduling for LTE-U-Enabled IoT", *IEEE Transactions on Wireless Communications*, 19, (12), 2020, pp. 7881-96
- [19] H. A. H. Alobaidy, M. J. Singh, M. Behjati, R. Nordin, and N. F. Abdullah: "Wireless Transmissions, Propagation and Channel Modelling for IoT Technologies: Applications and Challenges", *IEEE Access*, 10, 2022, pp. 24095-131
- [20] J. Tan, L. Zhang, Y. C. Liang, and D. Niyato: "Intelligent Sharing for LTE and WiFi Systems in Unlicensed Bands: A Deep Reinforcement Learning Approach", *IEEE Transactions on Communications*, 68, (5), 2020, pp. 2793-808
- [21] A. B. Adege, H. P. Lin, and L. C. Wang: "Mobility Predictions for IoT Devices Using Gated Recurrent Unit Network", *IEEE Internet of Things Journal*, 7, (1), 2020, pp. 505-17
- [22] E. M. Torroglosa-Garcia, J. M. A. Calero, J. B. Bernabe, and A. Skarmeta: "Enabling Roaming Across Heterogeneous IoT Wireless Networks: LoRaWAN MEETS 5G", *IEEE Access*, 8, 2020, pp. 103164-80
- [23] S. Nižetić, P. Šolić, D. López-de-Ipiña González-de-Artaza, and L. Patrono: "Internet of Things (IoT): Opportunities, issues and challenges towards a smart and sustainable future", *Journal of Cleaner Production*, 274, 2020, pp. 122877